
# MALABAR

### INTERNATIONAL

AIRCRAFT MAINTENANCE & SUPPORT EQUIPMENT



#### **GENERAL DESCRIPTION, OPERATION, SERVICE AND PARTS BREAKDOWN**

## MALABAR MODEL PF53361-114P 2 GALLON FLUID DISPENSER

CAUTION: AIRCRAFT MANUFACTURER'S SPECIFICATIONS AND INSTRUCTIONS MUST BE FOLLOWED. IN THE EVENT OF CONTRADICTION BETWEEN AIRCRAFT MANUFACTURER'S SPECIFICATIONS AND MALABAR'S, AIRCRAFT MANUFACTURER'S WILL PREVAIL.

#### **SPECIFICATIONS:**

Fluid	TURBINE OIL	
Reservoir capacity	2 U.S. gal	7.6 liters
Pump outlet pressure		689 kPa
Volume per stroke		41 cc
Net weight (empty)		5.4 kg
Filter rating		- 3
Fluid tank color		

#### **GENERAL DESCRIPTION:**

The Malabar Model PF53361-114P is a 2 gallon fluid dispenser used to service various commercial aircraft. The hand pump dispenser consists of a reservoir, pump assembly, filter assembly, and a fillport assembly.

#### **PREPARATION FOR USE:**

The unit is shipped fully assembled. Connect customer supplied hose assembly to the elbow on top of the filter assembly. Fill reservoir at fillport with approved fluid. Operate hand pump assembly a few strokes to bleed all air out of the system. The unit is now ready for use.

#### **OPERATION:**

1. Connect the hose assembly to the aircraft service point.

2. Use full steady pumping strokes when operating pump assembly during replenishing.

3. Disconnect the hose assembly from the aircraft service point and store the unit in a dry, dust free location.

#### **ILLUSTRATED PARTS LIST:**

Refer to figure 1A & 1B for unit assembly (see sheets 3 & 4) or figure 2 for pump assembly (see sheet 5).

#### **SERVICING:**

1. The frequency of filter change depends on operating conditions. Generally, changes should be made every 3-4 months or sooner if more than normal resistance is felt on the pumping stroke at low pressure. Refer to item 8 in figure 1A (see sheet 3) to change element.

#### **REPAIR AND REPLACEMENT:**

No definite time schedule can be established for the overhaul of the pump assembly for the replacement of the various moving parts. The number of times the pump assembly is operated materially affect the life of the working parts. The moving piston seal (item 4) and rod seal (item 14) are normally the first to wear (see sheet 5). This is usually indicated by leakage of fluid past the piston or rod. It is advisable to change piston seal (item 4), rod seal (item 14) and gasket (item 13) immediately if leakage is discovered. A repair parts kit (P/N PF2-14PK) is available and recommended to keep on hand at your facility. Refer to sheet 6 for the complete list of parts contained in the repair parts kit.

